No.



9400122

THE UNITED STATES OF AMERICA

TO ALL TO WHOM THESE: PRESENTS SHALL COME:

Colorado State University

Telhereas, there has been presented to the

Secretary of Agriculture

AN APPLICATION REQUESTING A CERTIFICATE OF PROTECTION FOR AN ALLEGED NOVEL VARIETY OF SEXUALLY REPRODUCED PLANT, THE NAME AND DESCRIPTION OF WHICH ARE CONTAINED IN THE APPLICATION AND EXHIBITS, A COPY OF WHICH IS HEREUNTO ANNEXED AND MADE A PART HEREOF, AND THE VARIOUS REQUIREMENTS OF LAW IN SUCH CASES MADE AND PROVIDED HAVE BEEN COMPLIED WITH, AND THE TITLE THERETO IS, FROM THE RECORDS OF THE PLANT VARIETY PROTECTION OFFICE, IN THE APPLICANT(S) INDICATED IN THE SAID COPY, AND WHEREAS, UPON DUE EXAMINATION MADE, THE SAID APPLICANT(S) IS (ARE) ADJUDGED TO BE ENTITLED TO A CERTIFICATE OF PLANT VARIETY PROTECTION UNDER THE LAW.

NOW, therefore, this certificate of plant variety protection is to grant unto the said applicant(s) and the successors, heirs or assigns of the said applicant(s) for the term of eighteen years from the date of this grant, subject to the payment of the required fees and periodic replenishment of viable basic seed of the variety in a public repository as provided by LAW, the right to exclude others from selling the variety, or offering it for sale, or reproducing it, or importing it, or exporting it, or using it in producing a hybrid or different ariety therefrom, to the extent provided by the Plant Variety Protection Act. He United States seed of this variety (1) shall be sold by variety name only as of certified seed and (2) shall conform to the number of generations by the owner of the rights. (84 stat. 1542, as amended, 7 u.s.c. 2321 et seq.)

WHEAT

'Jules'

In Lestimony Watercot, I have hereunto set my hand and caused the seal of the Plant Tariety Protection Office to be affixed at the City of Washington, D.C.

this 31st day of May in the year of our Lord one thousand nine hundred and ninety-four.

Allest

Kenneth Houns

Commissioner

Plant Variety Protection Office Sacreultural Marketina Service Cive Socretary of Agriculture

Public reporting burden for this collection of information is estimated to average 30 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Department of Agriculture, Clearance Office, DIRM, Room 404-W, Washington, D.C. 20250; and to the Office of Management and Budget, Paperwork Reduction Project (OMB #0581-0055), Washington, 20250. FORM APPROVED: OMB 0581-0055, Expires 1/31/91

U.S. DEPARTMENT OF AGRICUL	TURE		
APPLICATION FOR PLANT VARIETY PR (Instructions on revers	rvice ROTECTION	I CERTIFICATE	Application is required in order to determine if a plant variety protection certificate is to be issued (7-U.S.C. 2421) information is held, confidential unit certificate is issued (7-U.S.C. 2426).
NAME OF APPLICANT(S) (as it is to appear on the Certificate)		2. TEMPORARY DESIGNATION OR	3. VARIETY NAME
COLORADO STATE UNIVERSITY		CO 860094	Jules ".
4. ADDRESS (street and no. or R.F.D. no., city, state, and ZIP)		5. PHONE (include area code)	FOR OFFICIAL USE ONLY
Department of Agronomy			PVPO NUMBER
Colorado State University			
Fort Collins, CO 80523		(303) 491-6483	9400122
			Date 03/14/94
6. GENUS AND SPECIES NAME 7. FAN	AILY NAME (Bolanie	-22	1 Time
Triticum aestivum L.	Gramine		N IIIIII
8. CROP KIND NAME (Common Name)	l g.	DATE OF DETERMINATION	F Filing and Examination Fee:
Wheat, common		March 30, 1993	€ 12150,00 € 115 00
10. IF THE APPLICANT NAMED IS NOT A "PERSON," GIVE FORM OF ORGANIZATION	1.60		S Date
	(Corporation, part	nersnip, association, etc.)	B 03/14/94 103/28/99
COLORADO STATE UNIVERSITY	· <u>-</u>	, • , • •	C Certificate Fee:
11. IF INCORPORATED, GIVE STATE OF INCORPORATION	12, DA	TE OF INCORPORATION	V Date /
			5/2/94
13. NAME AND ADDRESS OF APPLICANT REPRESENTATIVE(S), IF ANY, TO SERVE II	N THIS APPLICATION	N AND RECEIVE ALL PAPERS	
James S. Quick			•
Agronomy Department		•	•
Colorado State University			
Fort Collins, CO 80523		SUDJE	(303 491-6483
14. CHECK APPROPRIATE BOX FOR EACH ATTACHMENT SUBMITTED (Follow INSTR	LUCTIONS on rever	PHONE (Include area code	55.
a. X Exhibit A, Origin and Breeding History of the Variety.	••		·
b. X Exhibit B, Novelty Statement.		•	
c. X Exhibit C, Objective Description of Variety.			
d. X Exhibit D. Additional Description of Variety.			
Exhibit E, Statement of the Basis of Applicant's Ownership.		·	
Seed Sample (2,500 viable untreated seeds). Date Seed Sample	mailed to Plant V	ariety Protection Office	
g. 🔀 Fifing and Examination Fee (\$2,150) made payable to "Treasurer			· ·
15. DOES THE APPLICANT(S) SPECIFY THAT SEED OF THIS VARIETY BE SOLD BY VA			e section 83(a) of the Plant Variety
Protection Act.) X YES (If "YES," answer items 16 and 17 below)), * skip to item 18 below)	, , , , , , , , , , , , , , , , , , ,
16. DOES THE APPLICANT(S) SPECIFY THAT THIS VARIETY BE LIMITED AS TO NUMBER OF GENERATIONS?	17. IF "YES" TO	ITEM 16, WHICH CLASSES OF PRODUC	CTION BEYOND BREEDER SEED?
	! -	_	. =
[X] YES □ MO	∑ FOU	IDATION X REGISTE	RED X CERTIFIED
18. DID THE APPLICANT(S) PREVIOUSLY FILE FOR PROTECTION OF THE VARIETY IN	THE U.S.?		
YES # "YES." through Plant Variety Protection Act.			
YES, "Ihrough Plant Variety Protection Act. Pat	tent Act. Give date		·
		•	
19. HAS THE VARIETY BEEN RELEASED, USED, OFFERED FOR SALE, OR MARKETED	IN THE U.S. OR O	THER COUNTRIES?	
YES (II "YES," give names of countries and dates)			
X NO			•
	•		
20. The applicant(s) declare(s) that a viable sample of basic seeds of the	is variety will	e furnished with the emplication	n and will be replenished upon
request in accordance with such regulations as may be applicable.		re rumaned with the application	ir and will be replemented upon
The undersigned applicant(s) is (are) the owner(s) of this sexuall	y reproduced n	ovel plant variety, and believe	(s) that the variety is distinct,
uniform, and stable as required in section 41, and is entitled to prot	ection under th	provisions of section 42 of the P	lant Variety Protection Act.
Applicant(s) is (are) informed that false representation herein can just the state of Applicant (Owner(s))			
[Owner(s)]	CAPACITY OR TI	ILE	DATE
1 Mm (Think	Profes	sor	March 3, 1994
SIGNATURE OF APPLICANT (Owner(s))	CAPACITY OR TO		DATE
-	Ser AGIT ON II		5016
	1		1

FORM CSSD-470 (5-89) Edition of FORM LS-470, 3-86, is obsolete

EXHIBIT A - BREEDING HISTORY

Genealogy: Jules, PI 564851, is a selection from the cross

NE76667/Hawk

NE76667: Warrior *5/Agent//Agate sib

The breeding method used was a modified pedigree system. final cross was made in 1981. The F, was increased in the field in 1982 and the F_2 spaced plant population was grown in the field at Fort Collins in 1983. Individual plant selection was propagated into the F_3 in 1984, the F_4 in 1985, and the F_5 in 1986. The F_5 row selected was bulked and entered in preliminary and advanced yield Approximately 60 heads were selected to trials as CO860094. propagate breeders seed in 1991. CO860094 was entered in extensive yield testing in Colorado in 1990-93. It was entered in the Southern Regional Performance Nursery in 1991 Approximately 250 pounds of breeders seed were produced in 1991. CO860094 was entered in the small scale milling and baking trials and evaluated by the Hard Wheat Quality Advisory Committee in February 1991 and 1993. The breeders seed was planted under irrigation in 1991 and approximately 120 bushels of foundation seed were harvested in 1992. The 1992 foundation seed production was distributed to Seed Growers in September of 1992 and the cultivar was named and released by the Colorado Variety Recommendation Committee on March 30, 1993. Under an isolated reproductive system the variety has no known variants and is stable to the best of our knowledge with respect to genetic change caused by mutations or heterozygosity.

EXHIBIT B - NOVELTY STATEMENT

Jules produces seed which is larger than Yuma but has characteristically lower test weight under shorter growing seasons. The plant is dark green in the seedling stages and shows the effect of a dwarfing gene early in its growth stages when compared to standard height cultivars. The mature plant is similar in height to Yuma and similar in coleoptile length to TAM 107 and has shorter coleoptiles than cultivars such as Scout 66 and Sandy. Jules has stiff erect straw and is more resistant to lodging than taller cultivars, especially under irrigation. Jules has weaker straw than semidwarf wheats such as Yuma, TAM 200, and TAM 107. Jules is most similar to Hawk, one of its parents; however, Jules is 4 days later in maturity and is more resistant to prevalent races of leaf rust (caused by Puccinia recondita Roberge ex Desmaz.). tillering ability and lodging of Jules is slightly greater than Yuma under irrigated conditions. Jules has superior winter hardiness (survival) compared to Yuma and is similar to Hawk. Jules has more tolerance to hail than Yuma or Hawk, probably due to a more lax spike at maturity.

U.S. DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE LIVESTOCK AND SEED DIVISION BELTSVILLE, MARYLAND 20705

EXHIBIT C

OBJECTIVE DESCRIPTION OF VARIETY

M21KACTIOM2: see veseise:	T (TRITICUM SPP.)
NAME OF APPLICANTIS	FOR OFFICIAL USE ONLY
Colorado State University	PYPO NUMBER
ADDRESS (Street and No. or R.F.D. No., City, State, and ZIP Cod	9400122
Agronomy Department	VARIETY NAME OR TEMPORARY
Colorado State University	DESIGNATION
	JULES
Fort Collins, CO 80523	JULY TO
Place the appropriate number that describes the varietal ch Place a zero in first box (e-s-0 8 9 or 0 9) when no	
1. KINDs	
1 = COMMON 2 = DURUM 3 = EMMER 4 = SPEL	T 5 = POLISH 6 = POULARD 7 = CLUB
2. TYPE,	•
2 1 = SPRING 2 = WINTER 3 = OTHER (Specify)	1 = SOFT 3 = OTHER (Specify) 2 = HARD
2 1 = WHITE 2 = RED 3 = OTHER (Specily)	
3. SEASON - NUMBER OF DAYS FROM EMERGENCE TO:	
2 5 6 FIRST FLOWERING	2 6 2 LAST FLOWERING
4. MATURITY (50% Flowering):	
NO. OF DAYS EARLIER THAN	1 = ARTHUR 2 = SCOUT 3 = CHRIS
	4 = LEMHI 5 = NUGAINES 6 = LEEDS
2 NO. OF DAYS LATER THAN	2
5. PLANT HEIGHT (From sail level to top of head):	
St. 6 CH. HIGH	
8 6 CM. HIGH	
CM. TALLER THAN	2 - CURIS
	1 = ARTHUR 2 = SCOUT 3 = CHRIS
1 8 CM. SHORTER THAN	4 = LEMNI 5 = NUGAINES 6 = LEEDS
& PLANT COLOR AT BOOTING (See reverse):	7. ANTHER COLOR:
2 T = YELLOW GREEN 2 = GREEN 3 = BLUE GREEN	1 1=YELLOW 2=PURPLE
8. STEM:	
1 Anthocyanin: = ABSENT 2 = PRESENT	Z Vaxy bloom: 1 = ABSENT 2 = PRESENT
Hairiness of last internode of rachis: 1 = ABSENT 2 = PRESENT	1 Intersodes: 1 = HOLLOW 2 = SOLID
5 NO. OF NODES (Originating from node above ground)	2 5 CM INTERNODE LENGTH BETWEEN FLAG LEAF
9. AURICLES:	
7 Acthocyanin: 1 = ABSENT 2 = PRESENT	Hairiness: I = ABSENT 2 = PRESENT
<u>T</u>	
IO. LEAF:	
Flag leaf at 1 = ERECY 2 = RECURVED	Flag leaf: 1 = NOT TWISTED 2 = TWISTED
3 - OTRER (Speaty).	
Hairs of first leaf sheath: 1 = ABSENT 2 = PRESENT	
18 MM. LEAF WIDTH (First leaf below flag lost)	3 / CM. LEAF LENGTH (First leaf below flag leaf):

FORM LMGS 470-6 (6-82) (Formerly Form LPGS 470-6 (3-79), which may be used)

11. HEAD:		200	
Density: 1 = LAX	? = OENSE	Shape: 1 = TAPE 1 = OTHE	RING 2 = STRAP 3 = CLAVATE R (Specify)
Awnedness: = Aw	NLESS 2 = APICALLY AWNLETED	3 = AWNLETED 4 = AWN	160
Color at maturity: 5	= WHITE 2 = YELLOW 3 = PINK 4 = BROWN 6 = BLACK 7 = OTH	l = REO ER (Specily):	
9 CM. LENGTH		1 1 MM. WIDTH	
12. GLUMES AT MATUR Length: 1 = SHORT 3 = LONG		Width: 1 = NARR 3 = WIDE	
Shoulder 1 = WANT shape: 4 = SQUA	ING 2 = OBLIQUE 3 = ROUNDED RE 5 = ELEVATED 6 = APICULATE	3 Beak: 1 = OBTUS	E 2 = ACUTE 3 = ACUMINATE
13. COLEOPTILE COLOR	i:	14. SEEDLING ANTHOO	YANIN:
1 1 = WHITE 2 = R	ED 3 = PURPLE	1 = ABSENT	2 = PRESENT
15. JUYENILE PLANT GR	OWTH HABIT:		
2 1 = PROSTRATE	2 = SEMI-ERECT 3 = ERE	ст	
16. SEED:			
] Shape: = OVATE	2 = OVAL 3 = ELLIPTICAL	7 Cheek: 1 = BOUN	DEO 2 = ANGULAR
1 Brush. I = SHORT	2 = MEDIUM 3 = LONG	1 Brush: 1 = NOT C	COLLARED 2 = COLLARED
			OCCARED 2 - COCCARED
Phenol reaction 4 (See instructions):	1 = IVORY 2 = FAWN 3 = LT. BROW 4 = BROWN 5 = BLACK	/N 	
3 Color: 1 = WHITE	2 = AMBER 3 = RED4 = PURPLE	5 = OTHER (Specity)	
7 MM. LENGTH	3 мм. wютн	3 5 GM. PER 1000	SEEOS AND THE SEE
17. SEED CREASE:			
121	ESS OF KERNEL 'WINOKA'	1 7 1	R LESS OF KERNEL 'SCOUT'
The state of the s	ESS OF KERNEL 'CHRIS'		R LESS OF KERNEL "CHRIS"
The state of the s	AS WIDE AS KERNEL 'LEMHI'	. 3 = 50 % 0	R LESS OF KERNEL 'LEMMI'
	ted, 1 = Susceptible, 2 = Resistant)		in the second of
2 STEM RUST (Races) 56,15,15 151,17	B2 2 LEAF RUST 1, 14a	O STRIPE RUST	D LOOSE SMUT
1 POWDERY MILDEW	ВИНТ	OTHER (Specify)	
19. INSECT: (0 = Not Teste	d, 1 = Susceptible, 2 = Resistant)		
O SAWFLY	O APHID (Bydw.)	O GREEN BUG	O CEREAL LEAF BEETLE
1 OTHER (Specify) R	. Wheat Aphid HESSIAN FLY	0 GP 0 A	0 c
	RACES:	0 o 0 E	0,00
20. INDICATE WHICH YARI	TY MOST CLOSELY RESEMBLES THAT S	UBMITTED:	
CHARACTER	HAME OF VARIETY	CHARACTER	NAME OF VARIETY
Plant tillering	HAWK	Seed size	- HAWK
Leaf size	HAWK	Seed shape	A AWK
Leaf color	HAWK	Coleoptile elongation	TAM 107
Leaf carriage	HAWK	Seedling pigmentation	HAWK

INSTRUCTIONS

GENERAL: The following publications may be used as a reference aid for the standardization of terms and procedures for completing this form:

- (2) L.W. Briggle and L. P. Reitz, 1963, Classification of Triticum Species and Wheat Varieties Grown in the United States, Technical Bulletin 1278, United States Department of Agriculture.
- (b) W.E. Walls, 1965, A Standardized Phenol Method for Testing Wheat Seeds for Varietal Purity, contribution No. 28 to the handback of Seed testing prepared by the Association of Official Seed Analysts. (See attachment.)

EXHIBIT D - ADDITIONAL DESCRIPTION

The cultivar Jules has been released based its performance It had a 3% yield advantage over TAM 107 in comparative dryland trials in 1990-92. Jules is a semidwarf height, awned, white chaff hard red winter wheat. It is slightly later and taller than TAM 107 or Yuma and has lax heads at maturity. It has several advantages compared to current cultivars; however, since it is slightly later in maturity, major production should be limited to Colorado counties, and to other areas, where longer season cultivars can express their yield and test weight potential, and to Data are attached to support the performance irrigated areas. evaluation. Jules has been field-tested in Colorado for agronomic, quality and disease reactions since 1986 as CO860094. It was tested in regional trials in 1991 and 1992 and in state trials since 1990. Jules is superior to TAM 107 in leaf rust resistance, and slightly inferior in resistance to the wheat curl mite (transmitter of wheat streak mosaic virus). End use quality has been equal or superior to all currently grown cultivars except Lamar is superior to Jules in all quality traits except dough mixing time and loaf volume.

EXHIBIT E - OWNERSHIP

The applicant is the developer and true owner of this cultivar, and is the employer of the breeding team.

GRAIN YIELD COMPARISONS (bu/a)
1990-1992

Variety	1990	1991	1992	1990-92	1990-92 Ovid	1990-92 Genoa	1990-92 Ov. + Gn.
	1	HIGH MOIS	TURE DRY	LAND VARIE	TY TRIALS		
Locati	ons: 10	7	6	23	3	~ 3	6
Jules	38.2	44.4	49.2	43.9	42.2	45.5	43.8
Yuma	45.6	38.0	38.1	40.6	32.6	42.1	37.4
TAM 107	44.1	41.5	46.2	42.6	36.3	46.9	41.6
TAM 200	44.4	39.4	44.4	42.7	35.2	42.6	38.0
Sandy	37.7	38.3	44.5	40.2	35.6	40.9	38.2
Lamar	39.6	40.3	42.1	40.7	39.3	42.3	40.8
Arapahoe	40.8	40.2	35.0	38.6	41.1	39.7	40.4

^{*} Average of 3 years, not weighted by locations

IRRIGATED VARIETY TRIALS

Location	s: 4		3	7
Jules	79.8	-	80.6	80.2
Yuma	78.3	-	90.1	84.2
TAM 107	70.6	-	85.7	78.2
TAM 200	79.4	-	90.8	85.1

AGRONOMIC COMPARISONS, 1990-1992

Jules	Yuma	TAM 107	TAM 200	Sandy	Lamar	Arapahoe
<u>u</u> 56.1 56.3	56.7 59.0	58.1 56.4	59.4 58.1	58.0 56.8	58.8 -	56.8
26	26	26	25	30	30	28
3.3	2.8	0.6	2.1	4.5	4.0	5.8
150	146	142	146	150	148	148
15	38	25	25	28	42	45
<u>%</u> 90	40	90	50	80	80	90
0.0	5.5	7.5	0.2	3.0	3.0	1.0
2.2	1.2	0.5	1.8	4.0	1.9	3.5
<u>1.</u> 91	82	95	91	103	98	96
	56.1 56.3 26 3.3 150 15 90 2.2	90 26 26 3.3 28 150 146 15 38 90 40 2 2.2 1.2	9 56.1 56.7 58.1 56.3 59.0 56.4 26 26 26 3.3 2.8 0.6 150 146 142 15 38 25 90 40 90 2 0.0 5.5 7.5 2.2 1.2 0.5	9 56.1 56.7 58.1 59.4 56.3 59.0 56.4 58.1 26 26 26 25 3.3 2.8 0.6 2.1 150 146 142 146 15 38 25 25 90 40 90 50 2 0.0 5.5 7.5 0.2 2.2 1.2 0.5 1.8 1.	9 56.1 56.7 58.1 59.4 58.0 56.8 26 26 26 25 30 3.3 2.8 0.6 2.1 4.5 150 146 142 146 150 15 38 25 25 28 90 40 90 50 80 20 0.0 5.5 7.5 0.2 3.0 2.2 1.2 0.5 1.8 4.0	9 56.1 56.7 58.1 59.4 58.0 58.8 26 26 26 25 30 30 3.3 2.8 0.6 2.1 4.5 4.0 150 146 142 146 150 148 15 38 25 25 28 42 90 40 90 50 80 80 2 0.0 5.5 7.5 0.2 3.0 3.0 2.2 1.2 0.5 1.8 4.0 1.9

HMVT = Higher Moisture Dryland Variety Trial IVT = Irrigated Variety Trial

Wheat Quality Comparisons 1990-1992

		our % H₂O Abs.	Dough* Mix Time	Volume	<u>Loaf**</u> Crumb Grain	Overall Baking Score
		1990 Wheat (uality (Council		
		***		***	***	***
Jules Yuma	11.7 11.9	2.7 3.1	5.5 4.0	2.7 2.9	2.4 3.0	2.3
		1992 Wheat (uality (Council		
•		***		***	***	***
Jules TAM 107 Yuma	13.0 13.0	3.1 3.4	3.6 3.4	3.0 3.1	2.9 2.2	3.0 2.3
Lamar	14.0	3.6	2.9	3.6	2.8	3.1
		1991 CSU La	b – Akro	n Seed		

Jules TAM 107 Yuma Lamar	11.7 9.6 12.2 11.0	- - -	4.2 2.9 4.9 4.0	840 795 820 845	2.2 2.4 2.4 2.6	- - -
		1992 CSU Lal	o – Akroi	n Seed	÷	
Jules TAM 107 Yuma Lamar	11.3 10.2 11.0 12.5	- - -	4.6 3.8 4.0 3.3	815 890 805 870	*** 2.6 2.4 2.8 3.0	

Dough mix time is time to curve peak on mixograph.

Loaf volume is in cubic centimeters; crumb grain is 1 to 6 score.

1 to 6 score, 6 = superior